

Single-core cold-joint sub-brand



AI Overview

Popular single-core cold-shrink joint sub-brands include TE Raychem CSJA, 3M QSIII, Nexans EASY TECH, Raytech Monoblock, and REPL RCSJ-X. TE Connectivity – Raychem CSJATE Connectivity offers the Raychem CSJA Cold Shrinkable Single Core Straight Joints, designed for fast, reliable installation without void fillers. These joints feature a pre-expanded silicone rubber body with integrated stress cones and a Faraday cage for excellent electrical stress control. They are suitable for a wide range of cable types and meet international standards including IEC, BS, and VDE. The joints provide high dielectric strength, tear resistance, and low-temperature recovery, making them ideal for medium- to high-voltage networks.

3M – QSIII The 3M Cold Shrink QSIII 33kV single-core joints are polymeric cable joints suitable for XLPE and EPR insulated cables with copper tape or wire screens. They allow safe, flame-free installation and cover multiple configurations including straight inline, transition, trifurcating, branch, and pot-end joints. The QSIII line is widely adopted by utilities and tested to standards such as VDE0278, HD629, and BS7888, supporting voltage classes from 6.6kV to 66kV.

Nexans – EASY TECH Nexans EASY TECH cold-shrink joints use a double-layer EPDM body for high mechanical and chemical resistance. They are designed for low- and medium-voltage applications and provide constant pressure on the cable throughout the joint's lifetime. The system simplifies installation with shear bolt connectors and requires minimal tools, making it suitable for onshore and offshore networks, including renewable energy projects.

Raytech – Monoblock Joints Raytech Monoblock single-core joints are compact kits for extruded cables up to 12/20 kV (Um 24 kV). Each kit contains a pre-dilated joint on a spiral support, allowing fast, safe installation without tools or heating. They are suitable for outdoor, underground, and underwater applications, providing a complete solution for medium-voltage networks.

REPL – RCSJ-X The REPL RCSJ-X range includes medium-voltage st...

Article Content

MV Heat Shrink Cable Jointing Kits

3M Heat Shrink MV Splice Kit offers reliability and flexibility to meet the demands of cable network operators. The joints are available for 11, 22 & 33 kV. The kit

Inline Joint: Cold Shrink, Straight up to 42 kV

Our Raychem CSJA Cold Shrinkable Single Core Straight Joints offer a reliable,

11kV Cable Terminations, Single Core

3M Cold Shrink QTIII 11kV single core high voltage polymeric cable terminations offer faster, safer and simpler cable installations without the dangers and hassles of “hot-working” associated with heat

Nexans Cold Shrink Joint

The NEXANS EASY single core straight joint family is designed for the connection of 1-core-polymeric cables with nominal voltage up to 36kV (Um) with a copper wire screen or extruded conductive

Single core cold-shrink joints

Monoblock joints for extruded cables up to 12/20 kV (Um 24 kV). Suitable for outdoor, underground and even underwater applications. Very compact and

Heatshrink Joints, Raychem Alternative Solutions

Explore our wide selection of heatshrink joints, including Raychem alternative solutions, for single and multi-core cables with options for armoured, lead

Cable Jointing & Termination Kits-3M - Nanyang Electric

Scotch Tape Joints for Aerial Bundle Cables With 3M Scotch Tape Joints, you can insulate and moisture-proof any odd shaped and sized cable ... from 1KV up to 35KV. It is used for joining XLPE

33KV JOINT KITS, 33KV POWER CABLE JOINTING KITS, SINGLE CORE

300-1000sqmm Nexans 36CSSM3 Nexans Cold Shrink 33kV power cable jointing kits are suitable for connecting single core XLPE insulated cables with copper wire screens (CWS) - tested to CENELEC

TE-Connectivity 11-33kV Single-Core Straight Joints -

TE-Connectivity 11-33kV heat shrink single-core straight joints for unarmoured polymeric cables.

BRANCH JOINTS 11KV SINGLE CORE POLYMERIC XLPE 11KV HV 95 ...

3M Cold Shrink 3M Cold Shrink QS2000B 11kV single core high voltage polymeric branch joints offer fast, safe and simple HV cable installations without the dangers and hassles of “hot-working”

2380109-1 : RAYCHEM Inline Joint: Cold Shrink, Straight up to 42 kV

Get 2380109-1 RAYCHEM Inline Joint: Cold Shrink, Straight up to 42 kV specs, pricing, inventory availability, and more from TE Connectivity. Get a sample or request a quote.

BRANCH JOINTS, MAINS BRANCH CABLE JOINTS

All LV branch joints include earth continuity kits for steel wire armoured (SWA) cables and mechanical connectors for conductor jointing. Large cable joints

33KV JOINTS, 33KV COLD SHRINK JOINTS, SINGLE CORE COLD ...

33kV Single Core XLPE - 3M Cold Shrink Joint Kits 3M QS200 Cold Shrink 33kV Joints are designed for inline splicing of polymeric insulated (XLPE) cables with copper wire screens.

Medium Voltage Cable Joints and MV Cable Jointing

Medium Voltage Cable Joints and Jointing Systems Cable Services are distributors and suppliers of the following Medium Voltage Cable Jointing products: Tyco

3M Cold Shrink Cable Jointing Kits

Smooth profile cable joint with space and weight savings 3M Cold Shrink cable jointing kits offer faster, safer and simpler installations without the dangers and

3M 11-33kV Cold Shrink Single-Core AWA Straight

3M Cold Shrink single-core 11-33kV straight cable joints for AWA and Lead Sheathed cables.

Medium voltage joints, terminations and cable accessories.

Ever since the installation of the first 3MTM Cold Shrink termination in 1972, we have developed products that deliver market leading efficiencies and reliability to our customers.

COLD SHRINK JOINTS, SINGLE CORE CABLE

Nexans 12CSJ single core cold shrink cable joints suit 11kV cables with 70sqmm, 95sqmm, 120sqmm, 150sqmm, 185sqmm, 240sqmm and 300sqmm stranded

11kV Cable Joints, Single Core

3M Cold Shrink high voltage cable joints satisfy all industrial and utility power cable jointing applications including : polymeric straight inline, transition inline,

JOINTS KITS 33KV, COLD SHRINK SINGLE CORE CABLE JOINTS,

3M Cold Shrink 33kV joints for polymeric (XLPE) insulated cables - 120sqmm, 150sqmm, 185sqmm, 240sqmm, 300sqmm. 33kV Joint, 3M Cold Shrink Cable Joints - Single Core Polymeric XLPE

COLD SHRINK JOINTS, COLD SHRINK SPLICES, 20KV 22KV 24KV 3M QS200 COLD ...

3M QS200 Cold Shrink Inline Cable Joints 20kV, 22kV, 24kV Polymeric Cables Copper Wire Screened 3M QS200 Cold Shrink Cable Joint Kits are suitable for cable jointing and inline splicing 20kV, 22kV

33kV Cable Joints, Single Core

3M Cold Shrink single core polymeric cable joints are suitable for 33kV XLPE and EPR insulated cables with copper tape screen (CTS) or copper wire screen (CWS) - this includes BS6622 and BS7835

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://energy-powertools.eu>

Email: info@energy-powertools.eu

Phone: +49 172 6389472

Address: Musterstraße 12, 10115 Berlin, Germany

This document is for informational purposes only. Specifications subject to change without notice.

