

Warranty warranty for OSFP optical transceiver module



Overview

Expedited replacement available via a Cisco Smart Net Total Care® Service support contract. Information about Cisco's Environmental, Social, and Governance (ESG) initiatives and performance is provided in Cisco's CSR and sustainability reporting. This specification is provided "AS IS" with no warranties whatsoever, including any warranty of merchantability, non-infringement, fitness for any particular purpose, or any warranty otherwise arising out of any proposal, specification or sample. The authors disclaim all liability, including. Laser class for OSFP modules Standard warranty: 5 years. The modules comply with the OSFP MSA configuration with integrated closed. The STC-800G-FR4 OSFP224 is a high-bandwidth optical transceiver designed for 800Gbps transmission over single-mode fiber (SMF) for distances up to 2 kilometers.



Article Content

PAN-SFP-PLUS-LR

Product Support This product is 100% compatible with all Palo Alto products that support 10GBASE-LR SFP+ transceivers. Rigorous production testing ensures the best out-of-the-box installation

1.6T-DR8 – 1.6T OSFP224 500m Transceiver

1.6Tbps OSFP224 optical transceiver module for short-reach high-performance connections – up to 500 meters.

Why 1.6T Optical Transceivers Overtake 800G in 2026

As an Authorized Agent for Cisco and HPE networking gear, WECENT ensures all 1.6T modules pass manufacturer warranty registration—critical since gray

Cisco OSFP 800G Transceiver Modules Data Sheet

The Cisco ® OSFP 800G transceiver modules provide 800 Gigabit Ethernet (GE), 2x 400GE, 4x 200GE, and 8x 100GE connectivity options, complying with the Octal Small Form Factor

SFP-25G-ER-I Cisco Compatible SFP28 1310nm 40km DOM

Cisco Compatible SFP28 Transceiver Module QuickSpecs Technical Specifications 25GBASE-ER Small Form-factor Pluggable Plus (SFP28). 25 Gbit/sec line speed. Operating distance up to 40km on OS1

1.6T OSFP224 | AI Ethernet Modules

FS provides 1.6T OSFP224, free & fast delivery, expert tech support, outstanding warranties.

OSFP-400G-SR8 Arista Compatible 400GBASE-SR8 OSFP Flat Top

Product Support This product is 100% compatible with all Arista products that support 400G OSFP transceivers Rigorous production testing ensures the best out-of-the-box installation experience,

OSFP Optical Transceiver MSA Spec

This specification is provided “AS IS” with no warranties whatsoever, including any warranty of merchantability, non-infringement, fitness for any particular purpose, or any warranty otherwise

PAN-SFP-PLUS10GBASE-T

Product Support This product is 100% compatible with all Palo Alto products that support 10GBASE SFP+ transceivers. Rigorous production testing ensures the best out-of-the-box installation

Cisco OSFP 800G Transceiver Modules Data Sheet

It is compliant with IEEE 802.3 800GBASE-VR8 and OSFP MSA module requirements with integrated heat sink. Optical signals are carried over eight pairs of parallel lanes, with one wavelength per lane.

AOC, DAC, Fiber Optic Transceivers | One-Stop Shop

800G/400G OSFP-DD Transceivers 400G/200G Transceivers 100G/40G Transceivers
25G/10G/1.25G Transceivers 100G/25G DAC SAS NIC

Compatible 400GBASE-DR4 OSFP Flat Top PAM4 1310nm 500m

Codable OSFP 400G Transceiver Module QuickSpecs Technical Specifications •
400GBASE-DR4 PAM4 Octal Small Form-factor Pluggable (OSFP) Flat Top. • Standards
based 400-Gigabit Ethernet

Understanding the OSFP Standard: The Open 400G/800G Optical

LINK-PP provides a comprehensive line of OSFP 400G and 800G optical transceivers, engineered for compliance with OSFP MSA, IEEE 802.3bs/ck, and CMIS. Every LINK-PP OSFP

FG-TRAN-SX

For information on GBICS Standard Warranty and Advanced Replacement Warranty please see our warranty page. Will using a third-party transceiver invalidate my vendor product warranty? No, this is

800G Optical Transceivers: The Guide for AI Data Centers

The complete guide to 800G Optical Transceiver standards (QSFP-DD vs. OSFP). Overcome supply shortages and scale your AI data center with Utmel Electronic.

Optical Transceivers | Network Solutions for AI Cluster,

And OSFP-RHS (Riding Heat Sink) is an OSFP packaging solution designed for high-power optical modules and advanced thermal architectures, often referred

Compatible 400GBASE-SR4 OSFP Flat Top PAM4 850nm 50m DOM

Order by 4pm for Same Day Dispatch Advanced Replacement Warranty Home Optical Transceivers Choose By Speed 400G OSFP Compatible 400GBASE-SR4 OSFP Flat Top PAM4 850nm 50m

1.25Gbps SFP Bi-Directional Transceiver, 20km LC Reach

1.25Gbps SFP Bi-Directional Transceiver, 20KM Reach The SFP-BIDI transceivers are high-performance, cost-effective modules supporting dual data rates of 1.25Gbps/1.0625Gbps and 20KM

OSFP OCTAL SMALL FORM FACTOR PLUGGABLE MODULE

This specification is provided "AS IS" with no warranties whatsoever, including any warranty of merchantability, non-infringement, fitness for any particular purpose, or any warranty otherwise

Cisco 10-2625-01 1000BASE-LX/LH SFP (Mini-GBIC)

Device Type: Sfp (mini-gbic) Transceiver Module - Lc Enclosure Type: Plug-in Module
Cabling Type: 1000base-lx, 1000base-lh Data Transfer Rate: 1 Gbps

Pluggable Optical Modules Market : Global Industry Analysis and ...

Explore the global Pluggable Optical Modules market with expert analysis on growth drivers, trends, key insights, and forecast outlook to 2036.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://energy-powertools.eu>

Email: info@energy-powertools.eu

Phone: +49 172 6389472

Address: Musterstraße 12, 10115 Berlin, Germany

This document is for informational purposes only. Specifications subject to change without notice.

